DUE DATE



Department of Energy

ROCKY FLATS OFFICE
P O BOX 928
GOLDEN, COLOBADO 80402-0928
MAR 2 7 1992

92-DOE-3415

ACTION		
DIST	LTA	ENG
BENJAMIN A	T	T
BERMAN, HS		Γ
BRANCH DB		
BURLINGAME A.H.	\Box	
CARNIVAL, G.J.	<u> </u>	匚
COPP, R D		
CROUCHER, DW	$oxed{oxed}$	
DAVIS J.G	Ļ	_
EVERED JE	X	L_
FERRERA, DW		L_
GOODWIN, R	Щ	L
HANNI, B J	Щ	
HEALY, TJ		_
HILBIG, J G		
IDEKER, E H		
KERSH, J M KIRBY, W A	X	
KRIEG. D	_	
KUESTER, A W	-	
LEE EM		
MAJESTIC, J.R.	┥	
MARX, G E		
MORGAN BY		

PIZZUTO, V M

POTTER, G L

SANDLIN, N B

SULLIVAN, M T ANSON E R LMAN, K G

WILKINSON, R.B

sokubbe

WIEBE JS

WILSON, J.M. YOUNG, E.R.

ZANE JO

Mr Martin Hestmark
U.S Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager, 8HWM-RI
999 18th Street, Suite 500, 8WM-C
Denver, Colorado 80202-2405

Mr. Gary Baughman
Hazardous Waste Facilities Unit Manager
Colorado Department of Health
4210 East 11th Avenue
Denver, Colorado 80220

Gentlemen.

Please find enclosed inserts for the final Phase I RFI/RI Work Plan for Operable Unit (OU) 9, Original Process Waste Lines dated February 1992. The inserts include the revised Environmental Evaluation (EE) Work Plan in addition to those items discussed in our February 28, 1992 transmittal letter for this work plan. Inserts for those items identified in the Colorado Department of Health's March 9, 1992 letter to the U.S. Department of Energy (DOE), Rocky Flats Office (RFO), regarding the OU 9 final Phase I RFI/RI Work Plan are also included.

We request that you provide DOE/RFO comments on the revised EE work plan by April 13, 1992. This revision is based on the Rocky Flats Plant Risk Assessment Technical Working Group meeting held on February 21, 1992. The reason for this request is that EEs are required for the RFI/RI work plans for industrial area OUs 8, 10, 12, 13, and 14, all of which have Interagency Agreement (IAG) deliverable dates in May 1992. For the OU 10 final Phase I RFI/RI Work Plan, the due date is May 1, 1991. Therefore, we would like to have your comments regarding the OU 9 EE work plan in time to prepare similar EE work plans for the additional industrial area OUs. This will help to minimize the time required for the preparation of comments and responses to comments on the EE portion of these RFI/RI work plans. If this is not acceptable, an alternative would be to submit EE work plans as Technical Memoranda for OU 8, 10, 12, 13, and 14 RFI/RI work plans within one month of their IAG deliverable dates. Please notify us of your preference regarding this issue.

Questions or concerns regarding this letter and enclosure should be addressed to Bruce Thatcher of my staff at 966-3532.

		$\overline{}$
CORRES CONTROL	¥	Y
TRAFFIC		

Reviewed for Addressee
Corres Control RFP
4-/-93 Cm

DATE BY

Enclosures

Sincerely,

James K Hartman
Acting Assistant Manager
for Environmental Management

ADMIN RECORD

cc w/Enclosures: A. Rampertaap, EM-453

cc w/o Enclosures:
F. Lockhart, ERD, DOE
R. Schassburger, ERD, DOE
B. Thatcher, ERD, DOE
J. Kersh, EG&G

R Ogg, EG&G D. Schubbe, EG&G S. Nesta, EG&G R. Flory, EG&G